


## Etanorm - Standardised Water Pump




### Applications :

Pure liquids not chemically or mechanically aggressive to the pump materials.

- Water supply
- Cooling water
- Swimming pool water
- Fire-fighting systems/ water
- Spray irrigation
- Irrigation
- Service water
- Cleaning agents
- Drinking water
- Drainage
- Condensate
- Heating, air-conditioning
- Hot water

# Etanorm - Standardised Water Pump



## ■ Low energy consumption

Optimised and tested hydraulic system of high efficiency. As a standard, the impellers are trimmed to the operating point.

## ■ High energy efficiency

Meets the European requirements for energy-efficient operation of water pumps with a minimum efficiency index  $MEI \geq 0.4$ .

## ■ Operating reliability

Good suction performance for low vibration levels and very smooth running.

## ■ Versatile

Great choice of materials for many applications available as a standard.

## ■ Diversity of variants

Additional sizes for small flow rates extend the already diverse range of selection charts.

## ■ Service-friendly

Fast delivery of new pumps and spare parts. Easier to assemble and dismantle thanks to the larger seal chamber and forcing screws between the casing cover and bearing bracket.

### Technical data

Pump size	DN 25 to 150 mm
Flow rate	Up to 660 m <sup>3</sup> /h (50Hz) Up to 780 m <sup>3</sup> /h (60Hz)
Head	Up to 160 m (50Hz) Up to 160 m (60Hz)
Fluid temperature	-30 °C to +140 °C
Pressure	up to 16 bar

### Material variants

Grey cast iron A 48 CL 35B
Stainless steel A743 Gr CF8 M
Bronze CC480K-GS / LTB2



### KSB Pumps Limited

Mumbai-Pune Road, Pimpri, Pune - 411 018. India.  
Tel.: +91 20 2710 1000 Fax : +91 20 2742 6000 www.ksbindia.co.in